

NOT OF STANDARD QUALITY ALERT FOR THE MONTH OF NOVEMBER– 2024

As part of the continuous regulatory surveillance, drug samples are picked from sales/distribution point, analyzed and list of Not of Standard Quality (NSQ) drugs are displayed on CDSCO portal on monthly basis. The purpose of displaying the NSQ list is to make stakeholders aware about the NSQ batches identified in the market.

B. State Laboratories							
S.No	Product/Drug Name	Batch No.	Manufact uring Date	Expiry Date	Manufactured By	NSQ Result	Reported by CDSCO Laboratory
1.	EnrofloxacinInj IP (AHD Supply J&K)	VT4072	Jul-24	Jun-26	Mfg. By : Alpha Laboratories Ltd 33/2 A.B Road Pigdamber 453446, Indore (M.P)	The sample fails for the test of Particulate Matter	Combined Food & Drug Testing Laboratory Jammu (J&K) vide report on Form 13 bearing No. CFDL/J/2024-25/1351 Dated: 31.10.2024.
2.	Cefcare-T 4500 (AHD Jammu Supply)	EB-240607	Jun-24	May-26	Mfg. By : Ethicare Laboratories 15, Industrial Estate Digiana Jammu - 180010	The sample fails for the test of Particulate Matter	Combined Food & Drug Testing Laboratory Jammu (J&K) vide report on Form 13 bearing No. CFDL/J/2024-25/1400 Dated: 05.11.2024.
3.	Zylpan	GT24026B	Jan-24	Dec-26	Mfg. By : Hetero Healthcare Ltd. AIIDC IGC , Changsari, NizSindurighopa (village) Sila, Sindurighopa (Mouza) Kamrup (Dist) Assam - 781101	The sample does not conform to I.P requirements with respect to the test for a) Assay & b) Dissolution	Combined Food & Drug Testing Laboratory Jammu (J&K) vide report on Form 13 bearing No. L/DA/2024-25/1607 Dated: 20.11.2024.
4.	PARACETAMOL TABLETS IP 500mg (XYKAA	X51H127	Oct-23	Sep-26	M/s.Troikaa Pharmaceuticals Ltd., At: Plot	Does not comply with respect to the Dissolution test as per IP	State lab(Pondicherry)

	500)				No.319,GIDC, Phase II, Vatva, Ahmedabad, Gujarat- 382 445	specification- NSQ	
5.	ALUMINIUM HYDROXIDE, MAGNESIUM HYDROXIDE, DIMETHICONE AND OXETACAINE SUSPENSION IP (GASNUL-O)	KL03401	Apr-24	Mar-26	M/s.Kinesis Pharmaceuticals Pvt. Ltd., Vill. DharampurSai Road, Baddi, Distt. Solan (H.P)-173 205	That for the product, it is labelled as Aluminium Hydroxide, Magnesium Hydroxide, Dimethicone And Oxetacaine Suspension IP (GASNUL- O), however Aluminium Hydroxide, Magnesium Hydroxide, Dimethicone And Oxetacaine Suspension is not an official IP monograph hence should be labelled as Aluminium Hydroxide, Magnesium Hydroxide, Dimethicone And Oxetacaine Suspension.- Label Issue	State lab (Pondicherry)
6.	Xytum-CV Tablets, Cefuroxime Axetil& Potassium Clavulanate Tablets IP	MICTAB- 1688	03/2024.	12/2025.	Mfg By: Micro Formulations Near Railway crossing Chambaghat, Solan, Distt. Solan (H.P) - 173 213. Himachal Pradesh. Markt: M/s. Xylose Pharma, # 2-123, Part2, Flat No. 101, 1st floor, Nipuns Tanoak Apartment, Bhaskar Rao nagar, Kavadiguda, Hyderabad, Telangana - 500 094.	NOT OF STANDARD QUALITY The sample Xytum-CV Tablets, does not comply for Assay of Clavulanic acid and Dissolution prameters as per I.P. 2022.	State Lab, Drugs Control Laboratory, Telangana.
7.	Vcare Derma	VCB018	09/2024.	08/2026.	Mfg By:	NOT OF STANDARD	State Lab,

	Essence Cosmetics				VcarePharcos B11 & B12, PIPDIC Electronic park, Mannadipet Commune, Thirubhavanal, Puduchery - 605 107, India Puducherry. Mrkt: M/s. Prabha'sVcare Health Clinic Pvt.Ltd., Price Info park, Tower B, 1st floor, No. 81B, 2nd Main road, Ambattur industrial Estate, Ambattur, Chennai - 600 058, India.	QUALITY Content for Mercury found is more than 1ppm. But as per IS standards 16913:2018 the mercury content should not be more than 1 ppm, hence it is of Not of Standard Quality.	Drugs Control Laboratory, Telangana.
8.	Zinc Sulphate 20 mg Dispersible Tablets IP	T-16427	07/2024.	06/2026.	Mfg By: Karnani Pharmaceuticals Pvt.Ltd, Fact:38, Pharma City, selaqui Dehradun - 248011. Uttarakhand.	NOT OF STANDARD QUALITY Out of 18 tablets tested, 12 tablets failed to disintegrate within 60 seconds. Hence disintegration test does not comply for Zinc sulphate dispersible tablets as per I.P. 2022.	State Lab, Drugs Control Laboratory, Telangana.
9.	Vcare Derma Essence	VCB019	09/2024.	08/2026.	Mfg By: VCarePharcos B11 & B12, PIPDIC Electronic park, Mannadipet Commune, Thirubhavanal, Puduchery - 605 107, India Puducherry.	NOT OF STANDARD QUALITY As per Rule 39 (Standareds of Cosmetics) Sub-Rule (5) Clause (b) of Cosmetics Rules, 2020, mercury in the finished cosmetic product shall not exceed one part per million (1 ppm)	State Lab, Drugs Control Laboratory, Telangana.

					Mrkt: M/s. Prabha'sVcare Health Clinic (P). Ltd., Price Info park, Tower B, 1st floor, No. 81B, 2nd Main road, Ambattur industrial Estate, Ambattur, Chennai - 600 058, India.	But the content for mercury found in the cream is more than 1 ppm. But as per IS 16913: 2018 the mercury content should not be more than 1 ppm, hence it is of Not of Standard Quality .	
10.	Divalproex Sodium Tablets IP 500 mg	D2306	12/2023.	11/2026.	Mfg By: Smith & Kenner Pharmaceuticals Pvt.Ltd., H.NO. 2-51 Survey No. 72/1, Tattiannaram (V), Hayathnagar (M), R.R. DistTelangana, India.	NOT OF STANDARD QUALITY 1. The coating is not uniform and rough surface is observed on the whole tablet, hence description does not complies as per IP. 2. The dissolution test parameter does not complies as per manufacturing method of analysis, hence the drug Divalproex sodium is of Not of Standard Quality with respect to Description and Dissolution test parameter.	State Lab, Drugs Control Laboratory, Telangana.
11.	Ferin-XT Tafblets, Ferrous Ascorbate, Folic Acid & Zinc Tablets	NC.2403	03/2024.	08/2025.	Mfg By: Twins Pharma Plot NO. 106, S.V. Nagar, Mallpur, Hyd-76. Telangana. Mrkt: LifevinPharma, Reg.off: Plot NO. 15, Roshini Colony, Hyderabad -	NOT OF STANDARD QUALITY Sample does not meets the Specifications wrt. Assay of Ferrous Ascorbate (Elemental Iron) as per STP	State Lab, Drugs Control Laboratory, Telangana.

					500098.		
12.	FERRIMACK-XT Tablets, Ferrous Ascorbate, Folic Acid & Zinc Tablets	23C-C081	06/2023.	05/2025.	Mfg By: Orison Pharma International Khari, Mauzaogli, Kala Amb, Distt. Sirmour - 173 030 (H.P). Himachal Pradesh.	NOT OF STANDARD QUALITY The sample does not meet the criteria for uniformity of weight as per IP. out of 20 capsules weighed, 11 capsules deviates the 10 percent limit as per IP and from that 3 capsules are under double deviation. Hence, Sample does not meet the specifications wrt. Uniformity of Weight of Capsules as per IP.	State Lab, Drugs Control Laboratory, Telangana.
13.	FERRIMACK-XT Tablets, Ferrous Ascorbate, Folic Acid & Zinc Tablets	FMK-9436	03/2024.	02/2026.	Mfg By: MAXTRA LABORATORIES MAXTRA Laboratories, Rangarangaih Nagar, C. Cherla (V), MedchalDist - 92. Telangana. Mrkt: M/s. MackvinPharma, MackvinPharma, Plot No: 55P, Sy. NO: 238//2, Bhagyalakshmi Colony, M.M. District, T.S. - 500055.	NOT OF STANDARD QUALITY Assay of Elemental Iron is not within the prescribed limits. Hence it is Not of Standard Quality.	State Lab, Drugs Control Laboratory, Telangana.
14.	FERRIGEN - XT Tablets, Ferrous Ascorbate, Folic Acid & Zinc Tablets	MNT.9020	04/2024.	03/2026.	Mfg By: Maxtra laboratories Rangarangaiahnagar, c.cherla (v) Medcahl (dist) - 92 Talangana.	NOT OF STANDARD QUALITY Assay of Elemental Iron is not within the prescribed limits. Hence, the drug is Not of Standard Quality.	State Lab, Drugs Control Laboratory, Telangana.
15.	FERRORED-XT Tablets, Ferrous	ML/24/1683	05/2024.	10/2026.	Mfg By: MacsolLifescience	MISBRANDED AND NOT OF STANDARD	State Lab, Drugs Control

	Ascorbate, Folic Acid & Zinc Tablets				Plot No. 2b, Block No. 815, At Santej, Ta. Kalol, Dist. Gandhinagar - 382721 (Gujarat). Gujarat.	QUALITY 1. In the composition the label should be mentioned as Ferrous Ascorbate equivalent to Elemental Iron. But the label is mentioned as only Ferrous Ascorbate 100 mg. Hence it is Misbranded Drug as per section 17 of Drugs and cosmetics Act 1940. 2. Assay of Elemental Iron is not within the prescribed limits. Hence it is Not of Standard Quality.	Laboratory, Telangana.
16.	DIRAB 20 Tablets, Rabeprazole Gastro-Resistant Tablets 20mg,	2GT23513A	11/2023.	04/2025.	Mfg By: M/s. Hetero Health care Limited, Unit-II, Hudumpur, Palasbari, Kamrup (Dist), Assam - 781 128 Assam.	MISBRANDED The drug product Rabeprazole sodium tablets is official in the current edition of IP 2022 and as required as per second schedule of the Drugs and cosmetics Act, 1940, the said drug product shall comply with the standards set out in the Indian Pharmacopoeia. As per the official monograph, the strength of the product on the label shall be stated in terms of " Rabeprazole sodium " However, the label of the sample states the strength in terms of the equivalent amount of " Rabeprazole". Hence the drug product shall be deemed to be Misbranded drug as per section 17 of the Drugs	State Lab, Drugs Control Laboratory, Telangana.

						and Cosmetics Act 1940 as it is not labeled in the prescribed manner.	
17.	Ambroxol Hydrochloride syrup 30mg/5ml	724373	09/2024.	08/2026.	Mfg By: Syndicate Pharma 185/B/185/B-1, 187/A & 188, Sector - F, Sanwer Road, iNdore - 452015 Madhya Pradesh.	MISBRANDED The drug sample is deemed to be MISBRANDED as it is only indicated as approved colour used on the label of the product but failed to indicate the comon name of the colour on the label as required as per Rule 127(2) of Drugs Rules, 1945. Hence the drug is deemed to be Misbranded as per Section 17 of Drugs and Cosmetics Act, 1940, as the drug is not labeled in the prescribed manner.	State Lab, Drugs Control Laboratory, Telangana.
18.	OMBRO-XL Syrup Ambroxol HCL Levosambutamol Sulphate and Guaiphenesin Syrup,	02-46.	11/2023.	10/2025.	Mfg By: Swiss India Laboratories 463/103, VillTheda, TehBaddiDisstSolan - 173 205 (HP). Himachal Pradesh.	MISBRANDED The label should be mentioned as Levosambutamol Sulphate IP equivalent to Levosambutamol. In the composition the label is mentioned as only Levosambutamol Sulphate, . Hence, it is a Misbranded drug as per section 17 of Dugs and Cosmetics Act 1940.	State Lab, Drugs Control Laboratory, Telangana.
19.	Dilabron LS Syrup Ambroxol HCL, Levosambutamol Sulphate &Guaiphenesin Syrup	MXS9027	07/2024.	06/2026.	Mfg By: Maxtra Laboratories TIF Industrial Park, Plot No. 105, 105A, 105B, 1st, 2nd, 3rd Floors, Dandumalkapuram (V)Choutuppal (M),	MISBRANDED The label should be mentioned as Levosambutamol Sulphate IP equivalent to Levosambutamol. In the composition the label is mentioned as only	State Lab, Drugs Control Laboratory, Telangana.

					Yadadri - Bhongiri District, Telangana State - Telangana. Mrkt: INVICTRA Health BMR Complex, BKP-HYD.	Levosulbutamol Sulphate, . Hence, it is a Misbranded drug as per section 17 of Dugs and Cosmetics Act 1940.	
20.	Aspirin Gastro Resistant Tab IP	URDT2785	11/23	10/25	Unicare India Ltd., Plot No. 46(B)/49B Village Raipur, Bhagwanpur ,RoorkeeDist, Haridwar, Uttarakhand	It fails the test 'Dissolution' Specified in the Laboratory Protocol as per IP	Drugs Testing Laboratory Thiruvananthapuram
21.	Chlorpromazine Tablets IP 50 mg	S73010	03/23	02/25	Kerala State Drugs & Pharmaceuticals Ltd, Kalavoor.P.O, Alappuzha- 688522	The sample fails in the 'Descriptive Part' for Tablets as per IP	Drugs Testing Laboratory Thiruvananthapuram
22.	Bisopol-5 [BisoprololFumarate Tablets 5 mg]	TSF-C0427	02/24	01/26	Spen Formulations Pvt.Ltd, Plot No. 123, Idustrial Area, Mehatpur, Distt, UNA- 174 315 (HP)	The sample does not conform to USP standard for descriptive part of tablets	Drugs Testing Laboratory Thiruvananthapuram
23.	Trenaxa Inj. [Tranexamic Acid Inj. IP]	TNA2407	03/24	02/26	SanjivaniParantera I Ltd, R-40, T.T.C, Industrial Are, Rabale, Thane Belapur Road, Navi Mumbai- 400701	It fails the test 'Sterility' as per IP	Drugs Testing Laboratory Thiruvananthapuram
24.	Terbutaline Sulphate, Ambroxol Hydrochloride and Guaiphenesin syrup	TM1LE027	04/24	03/26	Unicare India Ltd., Plot No. 46(B)/49B Village Raipur, Bhagwanpur ,RoorkeeDist, Haridwar, Uttarakhand	The sample fails descriptive part for liquid oral dosage forms as per schedule V of Drugs & Cosmetics Act and Rules. The syrup contains red coloured sedimented particles	Drugs Testing Laboratory Thiruvananthapuram
25.	Daliyz White Musk Soap	DLZM4/24	04/24	36 months from packed	Excell Health Care Products, CP-V/1092, XL	The sample does not conform to as per IS 2888:2004 for the	Drugs Testing Laboratory Thiruvananthapuram

					Garden, Palachira.P.O, Varkala	specification for toilet soap Grade-I with respect to the test “ matter Insoluble in Alcohol, percent by mass Max” as specified in the Laboratory Protocol.	
26.	Panboon [Pantoprazole Gastro-Resistant Tablet IP	T-2402172	02/24	1/26	Rivpra Formulations Pvt.Ltd, Plot No.8, sector-6A, IIE, SIDCUL, Haridwar- 249 403 UK	It fails the test ‘Dissolution’ stated in the Laboratory Protocol as per IP	Drugs Testing Laboratory Thiruvananthapuram
27.	Calamax Skin Balance Daily Moisturizing Lotion 100 ml	AVN 5890	01/24	Best before 24 months from the date of Mfg	AVN Foot steps, 107-108, DIC, Baddi, Solan (HP) - 173 205	The sample does not conform to cosmetic Rules 2020 for “standards of cosmetics” as specified in the Laboratory Protocol for the content of Lead	Drugs Testing Laboratory Thiruvananthapuram
28.	Nebivolol Tablets IP	KMNB2400 1	07/24	06/26	Ravian Life Sciences Pvt.Ltd, Plot No.34, Sector- 8A, IIE, SIDCUL, Haridwar-249403, Uttarakhand	The sample does not conform to IP standards. It fails the test ‘Dissolution’ Specified in the Laboratory Protocol as per IP	Drugs Testing Laboratory Thiruvananthapuram
29.	Glimepiride Tab IP 1 mg	D1885/24- 25			Kerala Medical Services Corporation Ltd, Thycaud P.O, Thiruvananthapura m-14	Does not conform to IP standards with respect to descriptive part	Drugs Testing Laboratory Thiruvananthapuram
30.	Ofloxacin Tablets IP 200 mg (Oflotac – 200)	AGT30418	Apr-23	Mar-26	M/s AlventaPharmaLimi ted,Vill- Kishanpur,Baddi- Nalagarh Road, Tehsil. Baddi, Dist. Solsan, Himachal Ptadesh-174101	Dissolution	State Drugs Testing Laboratory, Agartala, Tripura.
31.	Ferrous Sulphate& Folic Acid Tablets I.P	CIF-W09	Jul-23	Jun-25	M/s CyanoPharma(P) Ltd, 115-c,	Description	State Drugs Testing Laboratory, Agartala, Tripura.

					Industrial Estate, Polo Ground, Indore-452015, M.P.		
32.	Paracetamol Tablets I.P. 500mg	PCT1212	Aug-24	Jul-26	Unicare India Ltd, C-21,22 & 23, Sector-3, Noida- 201301,Dist. GoutamBudh Nagar (UP)	Dissolution	State Drugs Testing Laboratory, Agartala, Tripura.
33.	Diclofenac Sodium Gastro – Resistant Tablets IP 50mg	TD- 1750007	Feb-24	Jan-26	Centurion Remedies Pvt. Ltd. G/5 & G/6, Industrial Estate, Gorwa, Vadodara- 390016	Disintegration	State Drugs Testing Laboratory, Agartala, Tripura.
34.	Pantoprazole Gastro Resistant Tablets IP (PANCID – 40)	TG24- 1031C	May-24	Apr-26	Athens Life Sciences, Mauza Rampur Jattan, Nahan Road, Kalaamb, Dist. Sirmour, H.P.- 173030	Dissolution	State Drugs Testing Laboratory, Agartala, Tripura.
35.	Thiodoc Ace-4 Tablets	RDNAT230 04	Sep. 2023	Aug.2025	M/s Renowed Life Sciences, Plot No. 10,11, Sector-B, IIE, SIDCUL Haridwar U.K.	Not of Standarded Quality	CDL Kandaghat
36.	ZiroWal Gel	ZW-23	12/2023	11/2025	Ethidrugs Research Lab Pvt Ltd, 174, 2nd Cross, Kurumbapet, Puducherry-9.	sample does not conform to Label claim with respect to the content of Menthol.	Drugs Testing Laboratory, Chennai
37.	Aceclofast	060	11/2023	10/2025	Wings Biotech LLP, 43 & 44 HPSIDC, IND. Area, Baddi (HP) - 173 205	Sample does not conform to Label claim with respect to the content of Aceclofenac and it contains DiclofenacDiethylamine which is not declared on	Drugs Testing Laboratory, Chennai

						the label.	
38.	Lox Cv Dry Syrup	MVDS-032	08/2024	01/2026	Bonn Schetering Bio Sciences, Plot No.64 & 65, 1st Floor, Electronic park, Thirubuvanai, Mannadipet Commune, Puducherry, 605107.	Sample does not conform to IP specification for Amoxycillin and potassium Clavulanate oral suspension with respect to the content of Amoxycillinin AmoxycillinTrihydrate.	Drugs Testing Laboratory, Chennai
39.	Mupikul Ointment	G4501	10/2023	09/2025	A.S Lifesciences, 136, IND, Estate Kutana-124001(HR), INDIA.	Sample does not conform to USP specification for Mupirocin Ointment with respect to the content of Mupirocin.	Drugs Testing Laboratory, Chennai
40.	Dicyclomine Hydrochloride Injection IP-2ML	23BDK74	11/2023	10/2025	SVP Life Sciences, C/10-1, Sara Industrial Estate, Selaqui, Dehradun.	Sample does not conform to the requirement for Assay	Drugs Testing Laboratory, Chennai
41.	Promethazine Injection IP-2ML	24FNC80	03/2024	02/2026	SVP Life Sciences, C/10-1, Sara Industrial Estate, Selaqui, Dehradun.	Sample does not conform to requirement for assay.	Drugs Testing Laboratory, Chennai
42.	Meloxicam Injection IP-100ml- 'Melox-5'- Veterinary	10976	02/2024	01/2026	Redinex Life Sciences Pvt Ltd, F-132, IGC Mansa Road, Bathinda (PB)-151005.	Sample does not conform to requirement for PH.	Drugs Testing Laboratory, Chennai
43.	Thyroxine Tablets IP 0.1mg	TO-22	04/2024	03/2026	Poddar Pharmaceuticals Pvt Ltd., E-35, Industrial Area, Haridwar (U.K), 249 401	Sample does not conform to IP Specification for Thyroxine Sodium Tablets With respect to Dissolution and to the Content of Anhydrous Thyroxine sodium in Thyroxine Sodium.	Drugs Testing Laboratory, Chennai
44.	Thyroxine Tablets IP 0.1mg	TN-27	12/2023	11/2025	Poddar Pharmaceuticals Pvt Ltd., E-35, Industrial Area, Haridwar (U.K),	Sample does not conform to IP Specification for Thyroxine Sodium Tablets With respect to Dissolution and to the Content of	Drugs Testing Laboratory, Chennai

					249 401	Anhydrous Thyroxine sodium in Thyroxine Sodium.	
45.	Symolar-Forte	SFT5-61	04/2024	09/2025	M/s. Lark Laboratories (India) Ltd, Works at: SP-1192 E, RiicoINDL.Area, Phase IV, Bhiwadi-301019, Dist.Alwar, Rajasthan	sample does not conform to Schedule V of D&C Act with respect to general requirement for tablets	Drugs Testing Laboratory, Chennai
46.	Acicarb-650	T-2407400	07/2024	06/2026	Rivpra Formulation Pvt Ltd, Plot No.8, Sector-6A, I.I.E, Sidcul, Haridwar. 249403 (U.K)	sample does not conform to IP Specification for enteric coated tablets with respect to Disintegration in Acid stage	Drugs Testing Laboratory, Chennai
47.	Thricof Cough Syrup. Chlorpheniramine Maleate, Dextromethorphan HBR & Phenylephrine Hydrochloride Syrup	HLPD24003	05-2024	04-2026	M/s. Health Biotech Ltd, Village , Sandoli, Nalagarh Road, BaddiDist, Solan (H.P) India - 173205.	sample does not conform to label claim with respect to the content of chlorpheniramine maleate.	Drugs Testing Laboratory, Chennai
48.	Cofzar-Ls Syrup	UF2674048 B	01/2024	12/2025	M/s. Ultra Drugs Formulations Pvt Ltd, Plot No.338/278, Vill, Manakpur, Lodhimajra, Tehsil-Baddi, District, Solan (H.P), 173205	sample does not conform to label claim with respect to the content of Ambroxol Hydrochloride.	Drugs Testing Laboratory, Chennai
49.	Dimethyl A200	KGMP0461	07/2024	06/2026	ThorabPharma and Research Laboratory, R.S.No.144/5 PT, Earikkarai Road, Thiruvandarkoil,	Sample does not conform to label claim with respect to the content of Alpha Lipoic Acid	Drugs Testing Laboratory, Chennai

					Puducherry, 605102.		
50.	Atorvastatin Calcium Tablets IP 10mg	HTN906J	09/2023	08/2025	Himalaya Meditek Pvt Ltd, Plot No.35 &36, Pharmacy, Selaqui, Industrial Area, Dehradun - 248197	Sample does not conform to IP Specification for Atorvastatin Calcium Tablets with respect to Dissolution	Drugs Testing Laboratory, Chennai
51.	Redura-20 Tablets	NLT- 126523	02/2024	01/2026	Nutra Life Healthcare Pvt Ltd, Plot No.44-45, Shiv Ganga Industrial Estate, Lakeswari, Bhagwanpur, Roorkee, Dist, Haridwar(UK)	Sample does not conform to IP Specification for Rabeprazole Sodium Tablets With respect to Dissolution.	Drugs Testing Laboratory, Chennai
52.	Dexamethasone Tablets IP 0.5mg	TA24035	01/2024	12/2025	Saintlife Pharmaceuticals Ltd, 323, Central Hope Town, Industrial Area, Selaqui, Dehradun - 248 011, Uttarakhand, India	Sample does not conform IP specification for Dexamethasone Tablets with respect to this content of Dexamethasone.	Drugs Testing Laboratory, Chennai
53.	Kefpod 100 Orange Suspension	C4093005	02/2023	01/2025	InnovaCaptab Ltd, 1281/1, Hilltop Industrial Estate, Near epip, Phase-I, Jharmajri, Baddi, Distt. Solan, Himachal Pradesh.	Sample does not conform to Ip Specification for CefpodoximeProxetil Oral Suspension with respect to the content of Cefpodoxime in cefpodoxime in cefpodoximeproxetil.	Drugs Testing Laboratory, Chennai
54.	Kefpod 100 Orange Suspension	C4093044	09/2023	08/2025	InnovaCaptab Ltd, 1281/1, Hilltop Industrial Estate, Near epip, Phase-I, Baddi, Distt. Solan, Himachal Pradesh.	Sample does not conform to Ip Specification for CefpodoximeProxetil Oral Suspension with respect to the content of Cefpodoxime in cefpodoxime in cefpodoximeproxetil.	Drugs Testing Laboratory, Chennai
55.	Metoclopramide	ME404	03/2024	02/2026	TammanTitoPhar	Sample does not conform	Drugs Testing

	HCL Injection IP-2ml				ma Pvt Ltd, 56-57, SIDCO Pharmaceutical Complex, Alathur-603110, Tamil Nadu.	to the requirement for PH.	Laboratory, Chennai
56.	Cyanocobalamin Injection IP-1ml	34CYA327	12/2023	11/2025	SPM Drugs (p) Ltd. Bhavani - 638301(TN).	Sample does not conform to the requirement for assay.	Drugs Testing Laboratory, Chennai
57.	VIP Hair Colour Shampoo	B320C	03/2024	02/2026	VIMAC, #18/C. Noombal Village, SF.No.125/1A, 1B, Ambattur, Taluk, Tiruvallur District, Chennai-600077.	1. Sample does not conform to BIS Specification for Oxidation Hair dye with respect to the content of Resorcinol and Phenyl Methyl Pyrazolone. 2. The sample is also found to contain m-phenylenediamine which must not form part of the composition of cosmetics products as per BIS specification 4707 (Part 2):2017, under Annex A (clauses 1,2 and 3.1), Serial No.1198.	Drugs Testing Laboratory, Chennai
58.	VIP Brown Natural Hair Colour Shampoo	B013	07/2024	06/2026	VIMAC, 18/C. Noombal Village, SF.No.125/1A, 1B, Ambattur, Taluk, Tiruvallur District, Chennai-600077.	1. Sample does not conform to BIS Specification for Oxidation Hair dye with respect to the content of Resorcinol and Phenyl Methyl pyrozolone. 2. The sample is also found to contain m-phenylenediamine which must not form part of the composition of cosmetics products as per BIS specification 4707 (Part 2):2017, under Annex A	Drugs Testing Laboratory, Chennai

						(clauses 1,2 and 3.1), Serial No.1198.	
59.	VIP Hair Colour Shampoo	BO53KTK	05/2024	04/2026	VIMAC, 18/C. Noombal Village, SF.No.125/1A, 1B, Ambattur, Taluk, Tiruvallur District, Chennai-600077.	1.Sample does not conform to BIS Specification for oxidation hair dye with respect to the content of resorcinol and phenyl methyl pyrazolone. 2.The sample is also found to contain m- phenylenediamine which must not form part of the composition of cosmetics products as per BIS specification 4707 (Part 2):2017, under Annex A (clauses 1,2 and 3.1), Serial No.1198.	Drugs Testing Laboratory, Chennai
60.	VIP Hair Colour Shampoo	B309C	02/2024	01/2026	VIMAC, #18/C. Noombal Village, SF.No.125/1A, 1B, Ambattur, Taluk, Tiruvallur District, Chennai-600077.	1.Sample does not conform to BIS Specification for oxidation hair dye with respect to the content of resorcinol and phenyl methyl pyrazolone. 2. The sample is also found to contain m- phenylenediamine which must not form part of the composition of cosmetics products as per BIS specification 4707 (Part 2):2017, under Annex A (clauses 1,2 and 3.1), Serial No.1198.	Drugs Testing Laboratory, Chennai
61.	VIP Hair Colour Shampoo	B034KERL	04/2024	03/2026	VIMAC, #18/C. Noombal Village, SF.No.125/1A, 1B, Ambattur, Taluk, Tiruvallur District,	1.Sample does not conform to BIS specification for oxidation hair dye with respect to the content of	Drugs Testing Laboratory, Chennai

					Chennai-600077.	phenymehylpyrazolone.	
62.	VIP Hair Colour Shampoo	B034KERL	04/2024	03/2026	VIMAC, #18/C. Noombal Village, SF.No.125/1A, 1B, Ambattur, Taluk, Tiruvallur District, Chennai-600077.	Sample does not conform to BIS specification for oxidation hair dye with respect to the content of phenyl methyl pyrazolone.	Drugs Testing Laboratory, Chennai
63.	VIP Black Natural Hair Colour Shampoo	B131N	07/2024	06/2026	VIMAC, #18/C. Noombal Village, SF.No.125/1A, 1B, Ambattur, Taluk, Tiruvallur District, Chennai-600077.	Sample does not conform to BIS specification for oxidation hair dye with respect to the content of resorcinol.	Drugs Testing Laboratory, Chennai
64.	VIP Dark Brown Natural Hair Colour Shampoo	B005	07/2024	06/2026	VIMAC, #18/C. Noombal Village, SF.No.125/1A, 1B, Ambattur, Taluk, Tiruvallur District, Chennai-600077.	Sample does not conform to BIS Specification for oxidation hair dye with respect to the content of resorcinol and phenyl methyl pyrazolone.	Drugs Testing Laboratory, Chennai
65.	Beaute Blanc Fruit Vinegar Gel Hair Colour (Natural Balck)	406	06.06.2024	05.06.2027	Marketed By: Kosmol Global No.6, 1st Floor, Ravanier Street, Park Town, Chennai-600001. Tamilnadu, India.	1.Sample does not conform to BIS Specification for oxidaion hair dye with respect to the content of phenyl methyl pyrazolone. 2.Sample is also found to contain m-phenylendiamine which must not form part of the composition of cosmetics products as per BIS specification 4717 (Part 2): 2017. underAnnes A (Clauses 1,2 and 3.1), Serial No.1198.	Drugs Testing Laboratory, Chennai
66.	Beaute Blanc Fruit Vinegar Gel Hair Colour (Natural Balck)	405	19.05.2024	18.05.2027	Guangdong Rongsheng Bio-Technology Co Ltd, Complex Building C, Xiaojing Village, Leping Town,	Sample does not conform to BIS specification for oxidation hair dye with respect to the content of phenyl methyl pyrazolone.	Drugs Testing Laboratory, Chennai

					Sanshui District, Foshan city, China.		
67.	VIP Hair Colour Shampoo	B020C	04/2024	03/2026	VIMAC, #18/C. Noombal Village, SF.No.125/1A, 1B, Ambattur, Taluk, Tiruvallur District, Chennai-600077.	Sample does not conform to BIS specification for oxidation hair dye with respect to the content of resorcinol and phenyl methyl pyrazolone.	Drugs Testing Laboratory, Chennai
68.	Beaute Blanc Fruit Vinegar Gel Hair Colour (Natural Balck)	406	06.06.202 4	05.06.2024	Guangdong Rongsheng Bio- Technology Co Ltd, Complex Building C, Xiaojing Village, Leping Town, Sanshui District, Foshan city, China.	Sample does not conform to BIS specification for oxidaton hair dye with respect to the content of phenyl methyl prazolone.	Drugs Testing Laboratory, Chennai
69.	Levatio Syrup	ONL-24067	03/2024	02/2026	Onex Life Science Pvt Ltd, Flot No.5, Ground, First Floor & Second Floor, EkambararNaicker Industrial Estate, Alapakkam, Chennai-600116.	Sample does not conform to label claim with respect to the content of Terbutaline Sulphate.	Drugs Testing Laboratory, Chennai
70.	Dermotil-K Spray. Ketoconazole with chlorhexidineGluc onate Solution	E1207	09/2024	08/2026	Vinsmile, S.N:7/1A, Patharampallam, ChinnasalemTaluk, VillupuramDist, Pin Code-606201.	Sample does not conform to label claim with respect to the content of Ketoconazole.	Drugs Testing Laboratory, Chennai

Not of Standard Quality (NSQ) drugs:

The drugs that fail to meet the quality standards or specifications are known as Not of Standard Quality (NSQ) drugs.

(Further, the term 'standards of quality' is defined under the Section 16 (1) (a) of Drugs & Cosmetics Act, 1940, that the 'standards of quality' mean that the drug complies with the standards set out in the Second Schedule of the said Act.)

NOTE:

1. NSQ data was received as per Format & in EXCEL SHEET from State Drugs Licensing Authorities of Himachal Pradesh, Jammu Kashmir, Puducherry, Telangana, Thiruvananthapuram (Kerala), Tripura, Tamil Nadu. Further NSQ data was not received as per format in Excel Sheet from Jharkhand (PDF Format) , Karnataka (PDF Format Nil), Maharashtra (PDF format), Assam (PDF Format), Rajasthan (PDF Format), Delhi (Word format) for the Month of November, 2024 as per DCG(I) Circular dated 09.02.2024.
2. State Drugs Licensing Authorities of Ladakh, Goa, Andhra Pradesh, Arunachal Pradesh, Bihar, Chhattisgarh, Gujarat, Haryana, Manipur, Meghalaya, Mizoram, Nagaland, Odisha, Punjab, Sikkim, Uttarakhand, West Bengal, Andaman & Nicobar, Dadar and Nagar Haveli; Daman and Diu, Lakshadweep have not submitted any data in respect of the Not of Standard Quality (NSQ) Alert for the Month of November, 2024 as per DCG(I) Circular dated 09.02.2024.